

AMENDMENT TO CLAIMS

Please amend the claims as follows:

1. (Previously Presented) An imaging device operable to shoot in a consecutive shooting mode in which a plurality of frames of an image are consecutively shot through one operation of a shutter operation section and shot image signals are generated, the imaging device comprising:

an image blur compensation section for compensating a blur of the image;

an operation section for setting the consecutive shooting mode, wherein:

when the consecutive shooting mode is set by the operation section, in response to the one operation of the shutter operation section, shooting with compensation of the blur of the image and shooting without the compensation are consecutively performed.

2. (Previously Presented) The imaging device according to claim 1, further comprising a display for displaying the frames of the shot images, wherein the plurality of the consecutively shot frames of the image can be displayed on the display.

3. (Previously Presented) The imaging device according to claim 2, further comprising an image display controller for displaying the plurality of the consecutively shot frames of the image adjacent to each other on the display.

4. (Previously Presented) The imaging device according to claim 3, further including an enlarging display operation section for displaying the plurality of the consecutively shot frames of the image on the display in an enlarged manner.

5. (Previously Presented) The imaging device according to claim 1, further comprising an optical system, wherein the optical system includes an imaging lens unit which is automatically set at a telephoto limit in conjunction with an operation of the operation section.

6. (Previously Presented) The imaging device according to claim 1, further comprising:

a flash generation section and

a flash generation controller for prohibiting, in response to an operation of the operation section, the flash generation section from generating a flash.

7. (Previously Presented) The imaging device according to claim 1, further comprising a flash generation section and a flash generation controller for controlling, in response to operations of the operation section, a quantity of a flash generated by the flash generation section.

8. (Previously Presented) The imaging device according to claim 1, further comprising an image signal output section for externally outputting the shot image signals of the shot image.

9. (Previously Presented) The imaging device according to claim 1, further comprising a display for displaying the shot frames of the image in accordance with the shot image signals of the frames of the image.

10. (Previously Presented) The imaging device according to claim 1, further comprising an image printing section for printing the shot frames of the image in accordance with the shot image signals of the frames of the image.

11. (Previously Presented) The imaging device according to claim 1, further comprising a recording section for recording the plurality of consecutively shot frames of the image.

12. (New) The imaging device according to claim 1, wherein consecutively performing shooting with compensation of the blur of the image and shooting without the compensation includes performing first shooting with the compensation of the blur of the image and second shooting without the compensation of the blur of the image.

13. (New) The imaging device according to claim 1, wherein consecutively performing shooting with compensation of the blur of the image and shooting without the compensation includes performing first shooting without the compensation of the blur of the image and second shooting with the compensation of the blur of the image.